



POWER AT-A-GLANCE

Reference Guide to Power

AIS

SURFACE MOUNTED

Worksurface power is easy to add to any workstation or meeting area. Surface mounted power easily clamps on to the edge of a worksurface or grommet and can be moved without marring the worktop.



Bella 1050 Clamp

Bella 1050 Clamp

- Clamps onto the worksurface edge
- 2 USB-A and 1 USB-C port and Quick change enabled
- 2 AC outlets



Ashley Uno



Ashley Duo



Ashley Trio

Ashley Series

- Clamps onto the worksurface edge or grommet
- 1-3 outlets
- USB-A and USB-C ports
- Ashley 202 and Trio comes standard with knock-outs for optional HDMI, RJ-45 or VGA inserts

UNDERSURFACE MOUNTED

Undersurface mounted power attaches beneath the worktop, leaving more room for small workspaces.



Bella 1050 Undermount

Bella 1050 Undermount


- Attaches under the worksurface
- 1 USB-A and 1 USB-C ports
- 2 AC outlets



Ashley Uno



Ashley Duo



Ashley Trio

Ashley Series

- 1-3 outlets
- USB-A and USB-C ports
- Attaches under the worksurface
- Ashley 202 and Trio come standard with knock-outs for optional HDMI, RJ-45 or VGA inserts

RECESSED POWER

Recessed power can be added to any worksurface through a grommet or field installation.




Charger Dock 281 shown within a Divi workstation



Charger Dock 281



Wireless Charger Dock 150



Ashley Bezel

Charger Docks

- Power outlet and USB-A and USB-C
- Flat to surface

Wireless Charger Docks

- Wireless charging
- Flat to surface option
- Pop-up option with four USB-A ports

Ashley Bezel


- Features two AC outlets for high-power devices and USB-A and USB-C ports
- Unit comes with a 72" cord
- Bezel mount requires special surface (6" x 2.19" hole size, 1/2" - 1-1/2" surface thickness)
- Ashley 202 and Trio comes standard with knock-outs for optional HDMI, RJ-45 or VGA inserts

POP-UP POWER

Pop-up power can be added to any worksurface through simple field installation.



Ashley Duo Air shown within the LB Lounge Table



Ashley Duo Air

Ashley Duo Air

- Dual Power outlet
- USB-A and USB-C ports
- Flips up when in use, integrated into surface when not in use

*All add-on power is ordered separately.

INTEGRATED POWER FOR TABLES

Maintain collaboration momentum with integrated power solutions for both formal and informal meeting areas. Tables include power units and are reflected in table model number.

CALIBRATE CONFERENCE POWER BOXES



Table Top Power shown within a Calibrate Conference Table



Table Top Power Box (E-DOMINO)

- Door to hide power when not in use
- Two outlets
- USB-A and USB-C ports
- Overload Switch



Table Top Power Box (E-PSBC)

- Door to hide power when not in use
- Ability to Daisy Chain
- 2 Outlets
- 2 USB-A ports

DAY-TO-DAY MEETING TABLE POWER



Integrated Disc Base Power (Dock 281)

- Power outlet, USB-A and USB-C ports
- Flat to surface
- Silver, Black and White finish



Integrated Disc Base Power



Integrated Day-to-Day Power (Domino)

- 2 Power outlets, USB-A and USB-C ports
- Daisy chain option available
- Silver, Black and White finish



Integrated Day-to-Day Power (Domino)



Hardwire Power

Hardwire Power

- 2 Power outlets, USB-A ports
- Hardwire
- Silver, Black and White finish

DAY-TO-DAY FLIP-TOP TRAINING TABLE POWER



Optional Powered Flip-Top Table



Flip-Top or Fixed Training Tables

- Power can be daisy-chained together
- Available cord-set or hardwired
- Single circuit power
- Integrated in powered training tables

APPLYING POWER

Power can be integrated into all of our product lines, is easy-to-use and is guaranteed to energize your work.



Day-to-Day Height Adjustable Table with Bella Surface Mounted Power



Calibrate Table with Integrated Table Top Power Box



LB Lounge with Integrated Pop-up Power



Day-to-Day Flip-top Training Tables with Power



Divi with Recessed Power




Oxygen with Surface Mounted Power

All integrated power cut options can be pre-cut from the factory for a nominal charge or field cut as necessary. Details available on the Installation Support Page of ais-inc.com.

POWER OVERVIEW

WORKSURFACE POWER

Surface Mounted




Bella 1050

- Quick Charge (QC) & Power Delivery (PD) enabled
- 2 AC outlets
- USB Type-A port
- USB Type-C port
- 6' power cord
- White finish



Ashley Uno

- One AC outlets
- 1 USB-A and 1 USB-C port
- 6' cord
- White/White or White/Silver finish




Ashley Duo

- Dual AC outlets
- 1 USB-A and 1 USB-C port
- 6' cord
- White/White or White/Silver finish



Ashley 202


- Two AC outlets
- Dual data blank inserts (included inserts: HDMI, RJ-45 and VGA)
- 6' cord
- White/White or White/Silver finish



Ashley Trio

- Three AC outlets
- 1 USB-A and 1 USB-C port
- 6' cord
- White/White or White/Silver finish

Wire Management



PET Wire Manager

- Suspended under worksurface or rear mount
- Available with integrated PET screen
- 6"-7 3/8" H x 4" D overall
- 5 1/2" H x 3" W internal space
- PET material is 1/2" (12mm) thick
- Unhooks from worksurface for easy access to cords/wires



Mesh Wire Manager

- Sold in 100-foot sections with 1" diameter
- Cord mesh can easily be cut in the field to desired length
- Black finish



Vertical Wire Manager

- Flexible chain allows for "lay in" of data and power cords
- Spans from underside of height adjustable table to beam or power cord tray



Tapered Leg Cord Manager


- This cord manager recesses into the tapered leg to provide cord management for one power cord

Undersurface Mounted




Bella 1050

- Quick Charge (QC) & Power Delivery (PD) enabled
- 2 AC outlets
- USB Type-A port
- USB Type-C port
- 6' power cord
- White finish




Ashley Uno

- One AC outlets
- Dual 2.1A USB-A
- 6' cord
- White/White or White/Silver finish




Ashley Duo

- Dual AC outlets
- Dual 2.1A USB-A
- 6' cord
- White/White or White/Silver finish




Ashley 202

- Two AC outlets
- Dual data blank inserts (optional inserts: HDMI, RJ-45 and VGA)
- 6' cord
- White/White or White/Silver finish



Ashley Trio

- Three AC outlets
- 1 USB-A and 1 USB-C port
- 6' cord
- White/White or White/Silver finish



Charger Dock 120

- Includes one USB-A and one USB-C (5V DC 2.1A)
- Two units can be daisy chained together
- Includes 5V DC 4.2A wall-plug power adapter
- 8' cord
- 0.709"H x 2.827"W x 1.673"D
- Black finish


Note: See price lists for pricing.

RECESSED AND INTEGRATED POWER




E-DOMINO

- 10' Cord
- Dual Tamper-Resistant (TR) AC outlets
- USB Type-A 5V 2.1A charging port
- USB Type-C 5V 2.4A charging port
- Overload protection switch
- Silver, Black or White finish




E-PSBC

- Two 15amp NEMA outlets
- Dual 2.1 USB-A
- Two 1" grommet holes
- 2 keystone adapter holes
- Optional hardwire whip
- Black, Metallic Silver, White finish




Surface Mounted Power Unit

- Two AC outlet options
- 2 USB-A ports
- 10' or 6' cord
- Measures 1.50" H x 7.08" W x 2.13" D or 1.77" H x 8.23" W x 2.09" D
- Black finish



Ashley Series (Bezel)

- Cut-out sizes vary per Ashley model
- Bezel power options match plug-in options. See above for details.
- 6' cord
- White/White or White/Silver finish



Ashley Duo Air

- Dual AC outlets
- Dual 2.1A USB-A
- 6' cord
- White or Silver finish



Charger Dock 200

- Two 125V 15A AC outlets (ground protection optional)
- 10' or 6' cord
- 3.35"H x 3.54"W (3" diameter on worksurface) with flip lid
- Black finish



Charger Dock 201

- Two 125V 15A AC outlets (ground protection optional)
- 10' or 6' cord
- 3.35"H x 3.54"W (3" diameter on worksurface)
- Black finish



Charger Dock 281

- (1) AC outlet, 125V 15A rating
- (1) 2.1A 5V USB-A port
- (1) 2.4A 5V USB-C port
- 10ft. 14AWG x 3C power cord, 15A rating




Wireless Charger Dock 150

- Wireless Charging
- Single DC 5V, 5A USB-A Pop-up (2.68" W)
- 8' cord
- Requires 3 3/32" diameter hole
- Black finish




Wireless Charger Dock 950

- 5V 2A (standard) or DC 9V 1.67A (quick charge)
- 8' cord
- Measures 1.14" H x 3.5" W
- Black finish



Hardwire Table Power

- Two 15amp NEMA outlets
- Two 2.1amp USB-C outlets
- hardwired in feed
- Jumper cables sold separately
- Daisy chainable up to 10 units, varies by power requirements
- Black, White, Silver or Brushed Aluminum finish



Domino Power

- Hardwire option includes a circuit breaker.
- Daisy-chain option has a circuit breaker incorporated into the infeed.
- 10' Cord
- Dual Tamper-Resistant (TR) AC outlets
- USB Type-A 5V 2.1A charging port
- USB Type-C 5V 2.4A charging port
- Overload protection switch
- Silver, Black or White finish

Note: See price lists for pricing.

Name	Type	Model Number	Finishes	Product Compatibility								Price Lists
				Panel Systems	Benching/ Desking	Calibrate Case-goods	Calibrate Tables	Day-to-Day Tables	LB Tables	Chatham Cove	Lounge	
Bella 1050 Clamp	Surface Mount	E-BELLA-STT	White	•	•	•						Accessories
Ashley Uno Clamp	Surface Mount	E-AUTCW	White/White or White/Silver	•	•	•						Accessories, Tables
Ashley Duo Clamp	Surface Mount	E-ADTCW	White/White or White/Silver	•	•	•						Accessories, Tables
Ashley 202 Clamp	Surface Mount	E-A202TCW	White/White or White/Silver	•	•	•						Accessories, Tables
Ashley Trio Clamp	Surface Mount	E-ATTCW	White/White or White/Silver	•	•	•						Accessories, Tables
Bella 1050 Under	Undersurface Mount	E-BELLA 1050-STT	White	•	•	•						
Ashley Uno Under	Undersurface Mount	E-AUUMW	White/White or White/Silver	•	•							Accessories, Tables
Ashley Duo Under	Undersurface Mount	E-ADUMW	White/White or White/Silver	•	•							Accessories, Tables
Ashley 202 Under	Undersurface Mount	E-A202UMW	White/White or White/Silver	•	•							Accessories, Tables
Ashley Trio Under	Undersurface Mount	E-ATUMW	White/White or White/Silver	•	•							Accessories, Tables
Surface Mounted Power Units	Recessed	E-PSFMACUSB-2 or E-PSFMACUSB-3	Black					•				Accessories
Ashley Series (Bezel)	Recessed	Varies	White/Silver					•	•			Accessories
Charger Dock 200	Recessed	E-DOCK-200	Black	•	•	•	•	•	•			Accessories
Charger Dock 201	Recessed	E-DOCK-201	Black	•	•							Accessories
Charger Dock 281	Recessed	E-DOCK-281	Black, Silver or White	•	•							Accessories
Wireless Charger Dock 150	Recessed	E-DOCK-150	Black	•	•	•		•	•			Accessories
Wireless Charger Dock 950	Recessed	E-DOCK-950 or E-Dock 950Q	Black	•	•	•		•	•			Accessories
Ashley Duo Air	Pop-up	E-ADAP	White/Silver			•	•	•	•			Accessories
Powered Flip-Top Training Table Power	Integrated	Multiple (see pricelist)	Black, Silver, White, Brushed Aluminum					•				Tables
Calibrate Table Top Power Box	Integrated	Domino Power	Black, Metallic Silver or Satin White				•			•		Accessories Calibrate Tables
Day-to-Day Table Power (Domino)	Integrated	Included in powered table model number	Black, Silver or White					•				Tables
Day-to-Day Table Power (Hardwired)	Integrated	Included in powered table model number	Black, Silver or White					•				Tables